(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 31 May 2001 (31.05.2001)

PCT

(10) International Publication Number WO 01/39102 A1

(51) International Patent Classification?:(21) International Application Number:

PCT/IT00/00429

G06K 7/00

(22) International Filing Date: 25 October 2000 (25.10.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: TO99A001020 22 November 1999 (22.11.1999) IT

- (71) Applicant (for all designated States except US): EU-TRON INFOSECURITY S.R.L. [IT/IT]; Via Gandhi, 12, I-24048 Curnasco di Treviolo (IT).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): CASSIA, Lucio [IT/IT]; c/o Eutron Infosecurity S.R.L., Via Gandhi, 12, I-24048 Curnasco di Treviolo (IT). LEIDI, Michele [IT/IT]; c/o Eutron Infosecurity S.R.L., Via Gandhi, 12, I-24048 Curnasco di Treviolo (IT).


- (74) Agent: GARAVELLI, Paolo; c/o A.Bre.Mar. S.r.l., Via Servais, 27, I-10146 Torino (TT).
- (81) Designated States (national): AE, AL, AU, BA, BB, BG, BR, CA, CN, CR, CU, CZ, DM, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, TR, TT, UA, US, UZ, VN, YU, ZA.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PORTABLE READER FOR SMART CARDS



(57) Abstract: A portable reader (1) for smart cards (7) is described that comprises: a support body (3) containing at least one slot (5) for inserting and reading a smart card (7); interface means (9) connected to the support body (3); interface means (9) connected to the support body (3); means (13) for keeping and aligning the smart card (7); and a managing microprocessor contained inside the support body (3) and connected to the interface means (9) and the reading means for smart cards (7).

01/39102 A1

PORTABLE READER FOR SMART CARDS

The present invention refers to a portable reader for intelligent cards of the type commonly known as "smart cards".

Smart cards are nowadays rather widespreaded given their practical easiness of use: in fact, they allow, through microprocessors realised on integrated circuit chips obtained therein, to store a very high amount of data and therefore they can be used in applications such as different types of credit cards, cryptographic cards and future applications such as identity cards or electronic health cards.

For the purpose for which they are provided, such smart cards are adapted to communicate (that is, to transmit and receive) data through communication standards that are well-known at world level, such as the 7816 Standard. To realise such communication, the intelligent card is put in contact with a card reading device, which is equipped with suitable slots in which the card is

inserted, such slots containing a certain number of contacts that read the card data and communicate them to the microprocessor managing the card reader. Card readers are currently available on the market that are realised in the shape of boxes whose sizes are about 15 x 10 cm, that are statically connected to different types of data processing and transmitting systems. Such smart card readers are therefore with a relatively high encumbrance and due to their nature they are provided fixed in well-defined positions. On the market, there are currently no smart card readers that are portable and with small sizes.

Object of the present invention is solving the above prior-art problems, by providing a portable reader for smart cards that is of very reduced sizes and therefore can be easily transported and used by end users for any type of application.

A further object of the present invention is providing a portable reader that is equipped with such interface means as to allow it to widely and immediately use all smart cards with which a user can be equipped: for such purpose, the reader is equipped with means allowing it to be connected to a common Universal Serial Bus (USB) port of a

computer.

The above and other objects and advantages of the invention, as will appear from the following description, are obtained by a portable reader for smart cards as claimed in Claim 1. Preferred embodiments and non-trivial variations of the present invention are claimed in the dependent Claims.

The present invention will be better described by some preferred embodiments thereof, given as a non-limiting example, with reference to the enclosed drawings, in which:

- Figure 1 is a perspective view of an embodiment of a portable reader according to the present invention coupled with a smart card in the operating position;
- Figure 2 is a perspective view of the reader in Fig. 1 in the transport position;
- Figure 3 is a top view of the operating configuration in Fig. 1; and
- Figure 4 is a top view of the reader in Fig. 2.

With reference to the Figures, a preferred embodiment of the portable reader 1 for intelligent cards is shown, such cards being commonly known as

"smart cards".

The portable reader 1 for smart cards of the present invention substantially comprises a support body 3 shaped as an elongated box, comprising at one end thereof at least one slot 5 for inserting and reading therein a smart card 7. For such purpose, the slot 5 is equipped with reading means (not shown) for smart cards 7, that are commonly known and are composed of a plurality (usually six) of contacts that carry connection wires to a managing microprocessor (also not shown) contained inside the support body 3.

Such managing microprocessor is preferably realised through an integrated circuit chip and contains inside it all the necessary logics for receiving and transmitting data to the smart card 7 to which it is connected.

In order to communicate with the outside world the data obtained from a connected smart card 7, the portable reader 1 of the invention is further equipped with interface means 9 connected to the support body 3 and to the managing microprocessor; commonly, such interface means 9 are adapted to be connected to a common USB port of a computer, in order to be able to realise a connection with the

most widely known external managing networks (Internet, Intranet, etc.).

Moreover, the portable reader 1 of the invention comprises means 13 for keeping and aligning the smard card 7, that, in the practical embodiment shown, are composed of a bracket shaped as an elongated C and hinged to the support body 3 in order to have:

- a) an operating position in which the keeping and aligning means 13 are perpendicular to the support body 3 to keep the card 7 in contact with the reader 1 and to align the card 7 with the reading means (as can be clearly shown in Fig.s 1 and 3; and
- b) a rest position in which the keeping and aligning means 13 are aligned with the support body 3 allowing to transport and store the reader 1 (as can be clearly seen in Fig.s 2 and 4).

Finally, the portable reader 1 of the invention can be further equipped with means 11 that enable grasping the support body 3 by means of two fingers of an hand, such as for example the depression 11 shown in the different Figures.

A portable reader 1 has thereby been realised

that can be placed and stored in any suitable place and that can be easily transported and connected to USB ports: in this way, by arranging a reader whose overall sizes are on the order of 3 cm, it is possible to realise a flexible solution wherein each smart card with which a user is equipped can be immediately and easily connected and activated for the outside world to perform flexible and powerful applications.


Some preferred embodiments of the invention have been disclosed, but obviously they subjected to further modifications and variations within the same inventive idea. For example, the reader 1 of the invention can be realised on a personal identification device like the one marketed by the Assignee of the present invention, containing in a single configuration the functionalities of personal identification, encrypted data transmission and smart cards reading. Otherwise, the reader 1 of the present invention can be pre-arranged in a stand-alone configuration according to application guaranteeing at any rate an efficient solution as regards the practical comfort of the shape and portability of the reader 1 itself.


CLAIMS

- Portable reader (1) for smart cards (7), characterised in that it comprises:
 - a support body (3) containing at least one slot (5) for inserting and reading a smart card (7), said slot (5) being equipped with reading means for smart cards (7);
 - interface means (9) connected to said support body (3);
 - means (13) for keeping and aligning said smart card (7); and
 - a managing microprocessor contained inside said support body (3) and connected to said interface means (9) and said reading means for smart cards (7).
- Portable reader (1) according to Claim 1, characterised in that said interface means
 (9) are adapted to be connected to an USB port.
- 3. Portable reader (1) according to Claim 1, characterised in that said reading means for smart cards (7) are composed of a plurality of contacts carrying connection wires to said managing microprocessor.
- 4. Portable reader (1) according to Claim 3,

characterised in that said contacts are equal to six.

- 5. Portable reader (1) according to Claim 1, characterised in that said keeping and aligning means (13) are composed of an elongated-C-shaped bracket, said bracket being ninged to said support body (3) in order to have:
 - a. an operating position in which said keeping and aligning means (13) are perpendicular to said support body (3) to keep the card (7) in contact with said reader (1) and to align the card (7) with said reading means; and
 - b. a rest position in which said keeping and aligning means (13) are aligned with said support body (3) allowing to transport and store said reader (1).
- 6. Portable reader (1) according to Claim 1, characterised in that it is further equipped with means (11) that enable grasping said support body (3) by means of two fingers of an hand.





BEST AVAILABLE COPY




Fig. 3




Fig. 4

INTERNATIONAL SEARCH REPORT

Interne al Application No PCT/IT 00/00429

			LOIVE	00/00429
A. CLASS IPC 7	GO6K7/00			
According	to International Patent Classification (IPC) or to both national class	ification and IPC		
	SEARCHED			
Minimum d IPC 7	documentation searched (classification system followed by classific G06K G06F	ation symbols)		
Documenta	ation searched other than minimum documentation to the extent tha	at such documents are incl	uded in the fle	lds searched
Electronic	data base consulted during the international search (name of data	base and, where practical	search terms	(used)
	nternal, WPI Data, PAJ	•		
C. DOCUM	IENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the	relevant passages		Relevant to claim No.
X	WO 97 07448 A (SIRBU CORNEL) 27 February 1997 (1997-02-27) page 9, line 14 -page 11, line ! figures 1,7	5		1-4,6
X	US 5 778 071 A (AMORUSO VICTOR 17 July 1998 (1998-07-07) column 2, line 24 - line 47 column 3, line 6 - line 8 column 6, line 62 -column 7, line figure 10	·		1,3,4,6
X	US 5 844 497 A (GRAY ROBERT J) 1 December 1998 (1998-12-01) column 3, line 36 -column 5, lir figures 1,2	ne 48		1,3,4,6
		-/		
χ Furti	her documents are listed in the continuation of box C.	X Patent family r	members are (isted in annex.
"A" docume consid "E" earlier of filing of "L" docume which citation "O" docume other of "P" docume tater the	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another in or other special reason (as specified) and the special reason (as specified) and referring to an oral disclosure, use, exhibition or means and published prior to the international filing date but can the priority date claimed	"X" document of particu cannol be consider involve an inventivi "Y" document of particu cannol be consider cannol be consider	int in conflict i the principle lar relevance; red novel or ca e slep when the lar relevance; red to involve a ned with one of nation being o	with the application but or theory underlying the the claimed invention annot be considered to be document is taken alone the claimed invention an inventive step when the or more other such docubivious to a person stilled
	actual completion of the international search Under January 2001	Date of mailing of II 06/02/20		al search report
	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer		
	NL - 2280 HV Rijsvijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Rydman,	J	
	MA formed should be a comme			

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Interne at Application No
PCT/IT 00/00429

0/0	Mary BASHMENTO AGASIDATE	PCT/IT 00/00429		
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT			
CateMond .	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.	
A	US 5 635 701 A (GLOTON JEAN-PIERRE) 3 June 1997 (1997-06-03) column 2, line 57 -column 3, line 13 figures 1,2		1	
4	FR 2 774 194 A (SCM SCHNEIDER MICROSYSTEME MIC) 30 July 1999 (1999-07-30) page 2, line 23 -page 3, line 30 figures 5,7		1.	
	• •,			
		•	•	
			•	

INTERNATIONAL SEARCH REPORT

In... amation on patent family members

Interns si Application No PCT/IT 00/00429

Patent document cited in search report		γ···			1 00/00429
		Publication date			Publication date
WO 9707448	A	27-02-1997	FR	2738070 A	28-02-1997
	• •	_,,	FR	. 2740885 A	09-05-1997
			AU	720839 B	15-06-2000
			AU	6824096 A	12-03-1997
			BG	102336 A	30-12-1998
			BR		
			CN	9610236 A	15-06-1999
				1194043 A	23-09-1998
			CZ	9800408 A	16-12-1998
			EP	0870222 A	14-10-1998
			HU	9900499 A	28-06-1999
			JP	11511278 T	28-09-1999
			NO	980728 A	20-04-1998
			PL	325164 A	06-07-1998
			SK	22098 A	07-10-1998
			US	6070796 A	06-06-2000
US 5778071	Α.	07-07-1998	US	5546463 A	13-08-1996
			AU	726397 B	09-11-2000
			AU	4147097 A	06-03-1998
			EP	0916210 A	19-05-1999
			WO	9807255 A	19-02-1998
			US	5878142 A	02-03-1999
US 5844497	A	01-12-1998	US	6087955 A	11-07-2000
US 5635701	Α	03-06-1997	FR	2716988 A	. 08-09-1995
			DE	69518678 D	12-10-2000
			EP	0670556 A	06-09-1995
			JP	7271888 A	20-10-1995
FR 2774194	Α	30-07-1999	EP	1050006 A	08-11-2000
			WO	9938104 A	29-07-1999